



## **AFRLED170/WW**

Freska Downlight Warm White 170mm White



### **Features**

Economic ultra-slim circular LED performance downlight suitable for semi commercial applications

Ideal for use in areas with shallow ceiling void.

Remote driver with plug and play connection

Edge lit providing excellent uniform illumination

Non-dimmable

Optional plug-in self-test emergency pack suitable for all three models

## General Information

---

<b>Lamp Type</b>	LED
<b>Colour / Finish</b>	White
<b>IP Rating</b>	IP44
<b>IK Rating</b>	IK02
<b>Class Protection</b>	2
<b>Internal / External</b>	Internal
<b>Surface / Recessed / Suspended</b>	Recessed
<b>Lifetime (Hrs)</b>	L70 B50 60,000h
<b>Warranty (Years)</b>	3
<b>CE Mark</b>	Yes
<b>Diameter (mm)</b>	180 mm
<b>Height (mm)</b>	25 mm
<b>Accessories</b>	AFRLED/M3/ST

---

## Technical Information

Wattage	13W
Lumens Delivered	900lm
Lm/W	72lm/W
Beam Angle	110
CRI	80
CCT	3000K
Input	220/240V
Hertz	50/60Hz
Operating Temp	-10°C to 25°C
SDCM	5
UGR	26



