



APRILEDP/G/SC

Prism Pro CCT Fire Rated Gimbal Satin Chrome



Features

220-240V IP20 dimmable LED 4 CCT selectable fire rated performance gimbal suitable for residential and hospitality applications

30° tilt angle

Remote driver with 2x1.5mm² + CPC loop-in, loop-out colour coded push fit piano terminals provide an easy and efficient installation

Detachable LED driver for fast fix install

Low profile design and remote driver allows installation into shallow ceiling voids

Fully tested for 30, 60 and 90 minute ceiling types to meet Part B of building regulations

Fully tested to meet Part E (acoustic) and Part L (energy) of Building Regulations

Wide 60° beam angle for increased light distribution

General Information

Lamp Type	LED
Colour / Finish	Satin Chrome
Dimmable	Yes
Fire Rated	Yes
Bluetooth Enabled	Yes
IP Rating	IP20
Class Protection	2
Internal / External	Internal
Surface / Recessed / Suspended	Recessed
Lifetime (Hrs)	L70 B50 60,000h
Warranty (Years)	5
CE Mark	Yes
Diameter (mm)	86 mm
Height (mm)	58 mm
Accessories	ACFLP/3

Technical Information

Wattage	7W
Lumens Delivered	700lm (4000K)
Lm/W	100lm/W (4000K)
Beam Angle	60
CRI	80
CCT	2700/3000/4000/6000K
Input	220/240V
Hertz	50/60Hz
Operating Temp	-5°C to 25°C
SDCM	6
UGR	25

Datasheet generated from <https://onetimepim.com> last updated Thursday, October 6, 2022 8:27:02 AM



