

## ARAZLED/LI/3M/DA

Razzo Lithium Recessed Exit Sign Maintained / Non-Maintained White



## **Features**

Slim low profile recessed LED exit sign

Supplied c/w all legends

If not connected to DALI network self-test mode operates automatically

Available in black and white finishes

DALI emergency as standard



Belfast: +44 (0) 2890 773750

## **General Information**

Lamp Type	LED
Colour / Finish	White
Emergency	Yes
Self Test	Yes
IP Rating	IP20
Class Protection	2
Internal / External	Internal
Surface / Recessed / Suspended	Recessed
Lifetime (Hrs)	L70 54,000h
Warranty (Years)	6
CE Mark	Yes
Length (mm)	366 mm
Width (mm)	96 mm
Height (mm)	223 mm
Accessories	ASBP/19

## **Technical Information**

Input         220/240V           Hertz         50/60Hz           Operating Temp         5°C to 40°C           SDCM         5		
CCT     6000K       Input     220/240V       Hertz     50/60Hz       Operating Temp     5°C to 40°C       SDCM     5	Wattage	4.5W
Input         220/240V           Hertz         50/60Hz           Operating Temp         5°C to 40°C           SDCM         5	CRI	80
Hertz         50/60Hz           Operating Temp         5°C to 40°C           SDCM         5	ССТ	6000K
Operating Temp 5°C to 40°C  SDCM 5	Input	220/240V
SDCM 5	Hertz	50/60Hz
SDCM 5		5°C to 40°C
		5

Datasheet generated from https://onetimepim.com last updated Thursday, October 6, 2022 8:27:18 AM



