



AREELEDWLD

Reef CCT Directional Wall Light Black



Features

Durable outdoor directional wall light suitable for residential and hospitality applications

Installation in either upward or downward orientation

Choice of matt white or black finishes

Polycarbonate construction ideal for coastal applications

CCT selectable between 3000K, 4000K and 6000K

Unique lockable installation base plate with push fit loop-in loop-out terminals for ease of installation


Non-dimmable

General Information

Lamp Type	LED
Colour / Finish	Black
IP Rating	IP65
IK Rating	IK08
Class Protection	2
Internal / External	Internal / External
Surface / Recessed / Suspended	Surface
Lifetime (Hrs)	L80 54,000h
Warranty (Years)	3
CE Mark	Yes
Diameter (mm)	85 mm
Height (mm)	128 mm
Depth (mm)	103 mm

Technical Information

Wattage	5W
Lumens Delivered	430lm - 410lm (3000K - 6000K)
Lm/W	85lm/W - 82lm/W (3000K - 6000K)
Beam Angle	90
CRI	80
CCT	3000/4000/6000K
Input	220/240V
Hertz	50/60Hz
Operating Temp	-20°C to 40°C
SDCM	6



Datasheet generated from <https://onetimepim.com> last updated Thursday, October 6, 2022 8:27:06 AM