

NexusMetal

Sleek & slim with softly rounded corners, in a range of superior quality finishes that will compliment any interior decor



Features



No visible plastic around switches



Lightly lacquered surface to reduce fingerprint marks



Modern slim profile



Integral gasket for moisture protection



Angled in-line colour coded captive terminals



Brushed Steel



Polished Chrome



Polished Brass



Black Nickel

Range Content

Nexus Metal

10 AMP 10AX SWITCHES

Brushed Steel	Polished Chrome	Polished Brass	Black Nickel	Description	Carton Qty
NBS12	NPC12	NPB12	NBN12	10AX plate switch 1 gang, 2 way	5
NBS13	NPC13	NPB13	NBN13	10AX plate switch intermediate	5
NBS15	NPC15	NPB15	NBN15	10AX plate switch 3 pole fan isolator	5
NBS42	NPC42	NPB42	NBN42	10AX plate switch 2 gang, 2 way	5
NBS43	NPC43	NPB43	NBN43	10AX plate switch 3 gang, 2 way	5
NBS44	NPC44	NPB44	NBN44	10AX plate switch 4 gang, 2 way	5

• Manufactured to BS EN 60669-1



13 AMP DOUBLE POLE SOCKET OUTLETS

Brushed Steel	Polished Chrome	Polished Brass	Black Nickel	Description	Carton Qty
NBS21G	NPC21W	NPB21B	NBN21B	1 gang 13A switched socket	5
NBS21W					
NBS22G	NPC22W	NPB22B	NBN22B	2 gang 13A switched socket	5
NBS22W					

• Manufactured to BS 1363 part 2
• Brushed Steel insert colours = Grey (G) and White (W)



ROUND PIN AND EXPORT SOCKET OUTLETS

Brushed Steel	Polished Chrome	Polished Brass	Black Nickel	Description	Carton Qty
NBS28G	NPC28W	NPB28B	NBN28B	2A unswitched socket round pin	5
NBS28W					
NBS29G	NPC29W	NPB29B	NBN29B	5A unswitched socket round pin	5
NBS29W					
NBS99G	NPC99W	NPB99B	NBN99B	15A 1 gang switched socket	5
NBS99W					
NBS98G	NPC98W	NPB98B	NBN98B	16A 2 gang unswitched Euro socket	5
NBS98W					

• Manufactured to BS 546
• Brushed Steel insert colours = Grey (G) and White (W)



20 AMP DOUBLE POLE SWITCHES

Brushed Steel	Polished Chrome	Polished Brass	Black Nickel	Description	Carton Qty
NBS31	NPC31	NPB31	NBN31	20A DP switch with neon	5

• Manufactured to BS EN 60669-1



INSERT COLOURS:

Polished Chrome = White, Brushed Steel = Grey (G) and White (W),
Black Nickel = Black, Polished Brass = Black.



13 AMP FUSED CONNECTION UNITS

Brushed Steel	Polished Chrome	Polished Brass	Black Nickel	Description	Carton Qty
NBS50	NPC50	NPB50	NBN50	13A switched FCU	5
NBS52	NPC52	NPB52	NBN52	13A switched FCU with neon	5
NBS53	NPC53	NPB53	NBN53	13A switched FCU with neon and cable outlet	5
NBS54	NPC54	NPB54	NBN54	13A unswitched FCU	5
NBS55	NPC55	NPB55	NBN55	13A unswitched FCU with cable outlet	5

- Manufactured to BS 4177
- Manufactured to BS EN 60669-1



45 AMP DOUBLE POLE SWITCHES

Brushed Steel	Polished Chrome	Polished Brass	Black Nickel	Description	Carton Qty
NBS70G	NPC70G	NPB70G	NBN70G	45A DP switch with 13A neon socket	5
NBS70W					
NBS72	NPC72	NPB72	NBN72	45A DP switch with neon, double plate	5
NBS74	NPC74	NPB74	NBN74	45A DP switch with neon, single plate	5

- Manufactured to BS 1363 part 4
- Brushed Steel insert colours = Grey (G) and White (W)



45 AMP FLEX OUTLET

Brushed Steel	Polished Chrome	Polished Brass	Black Nickel	Description	Carton Qty
NBS79	NPC79	NPB79	NBN79	45A amp flex outlet (export only)	5

- Supplied with 3 way terminal block



CO-AXIAL AND SATELLITE SOCKETS

Brushed Steel	Polished Chrome	Polished Brass	Black Nickel	Description	Carton Qty
NBS60	NPC60	NPB60	NBN60	Co-axial socket, 1 gang	5
NBS61 ⁺	NPC61 ⁺	NPB61 ⁺	NBN61 ⁺	Co-axial socket, 2 gang	EM
NBS62 ⁺	NPC62 ⁺	NPB62 ⁺	NBN62 ⁺	Isolated co-axial socket, 1 gang	EM
NBS63 ⁺	NPC63 ⁺	NPB63 ⁺	NBN63 ⁺	Isolated co-axial socket, 2 gang	EM
NBS64 ⁺	NPC64 ⁺	NPB64 ⁺	NBN64 ⁺	Satellite socket, 1 gang	EM
NBS65 ⁺	NPC65 ⁺	NPB65 ⁺	NBN65 ⁺	Satellite and co-axial socket, 2 gang	EM
NBS66 ⁺	NPC66 ⁺	NPB66 ⁺	NBN66 ⁺	Diplex TV/FM socket, 2 gang	EM
NBS67 ⁺	NPC67 ⁺	NPB67 ⁺	NBN67 ⁺	Triplex TV/FM/Sat - Screened	EM
NBS68 ⁺	NPC68 ⁺	NPB68 ⁺	NBN68 ⁺	Triplex TV/FM/Sat + Return & 1 gang Tel - Screened	EM
NBS69 ⁺	NPC69 ⁺	NPB69 ⁺	NBN69 ⁺	Quadplex TV/FM/Sat (x2) + Return & 1 gang Tel - Screened	EM

- EM = Euro-module configuration
- + Supplied as kit of Euro-module components
- Insert colours -
 - Polished Chrome = White
 - Brushed Steel = Grey
 - Black Nickel = Black
 - Polished Brass = Black

* See our Euro-module range, for further Telecom, Data and Co-axial Options

Nexus Metal

TELEPHONE AND DATA OUTLETS

Brushed Steel	Polished Chrome	Polished Brass	Black Nickel	Description	Carton Qty
NBSBTM1	NPCBTM1	NPBBTM1	NBNBTM1	Telephone master 1 gang	5
NBSBTM2 ⁺	NPCBTM2 ⁺	NPBBTM2 ⁺	NBNBTM2 ⁺	Telephone master 2 gang	EM
NBSBTS1	NPCBTS1	NPBBTS1	NBNBTS1	Telephone slave 1 gang	5
NBSBTS2 ⁺	NPCBTS2 ⁺	NPBBTS2 ⁺	NBNBTS2 ⁺	Telephone slave 2 gang	EM
NBSRJ111	NPCRJ111	NPBRJ111	NBNRJ111	RJ11 socket 1 gang	5
NBSRJ112 ⁺	NPCRJ112 ⁺	NPBRJ112 ⁺	NBNRJ112 ⁺	RJ11 socket 2 gang	EM
NBSRJ451	NPCRJ451	NPBRJ451	NBNRJ451	RJ45 data outlet socket 1 gang	5
NBSRJ452 ⁺	NPCRJ452 ⁺	NPBRJ452 ⁺	NBNRJ452 ⁺	RJ45 data outlet socket 2 gang	EM

- EM = Euro-module configuration
- + Supplied as kit of Euro-module components


* See our Euro-module range, for further Telecom, Data and Co-axial Options



DIMMER SWITCHES - PUSH ON/OFF

Brushed Steel	Polished Chrome	Polished Brass	Black Nickel	Description	Carton Qty
NBS81P	NPC81P	NPB81P	NBN81P	1 gang, 2 way push, 400W	5
NBS82P	NPC82P	NPB82P	NBN82P	2 gang, 2 way push, 400W	5
NBS83P	NPC83P	NPB83P	NBN83P	3 gang, 2 way push, 400W	5
NBS84P	NPC84P	NPB84P	NBN84P	4 gang, 2 way push, 400W	5
NBS85P	NPC85P	NPB85P	NBN85P	1 Gang, 1,000W - square plate (export only)	5
NBS86P	NPC86P	NPB86P	NBN86P	1 Gang, 2 way push, 2,000W - square plate (export only)	5

- Suitable for tungsten lamps, low voltage transformers & mains GU10 halogen *
- * De-rating required
- Manufactured to BS EN 60669-2-1



FAN CONTROLLER

Brushed Steel	Polished Chrome	Polished Brass	Black Nickel	Description	Carton Qty
NBS87	NPC87	NPB87	NBN87	1 gang, 1 way rotary, 400W	5

- Under development, please contact customer services for availability



SHAVER SOCKET

Brushed Steel	Polished Chrome	Polished Brass	Black Nickel	Description	Carton Qty
NBS20G	NPC20W	NPB20B	NBN20B	Shaver socket 115/230V dual voltage	5
NBS20W					

- Manufactured to BS EN 61558-1 and BS EN 61558-2-5
- Brushed Steel insert colours = Grey (G) and White (W)



INSERT COLOURS:

Polished Chrome = White, Brushed Steel = Grey (G) and White (W),
Black Nickel = Black, Polished Brass = Black.



BLANK PLATES

Brushed Steel	Polished Chrome	Polished Brass	Black Nickel	Description	Carton Qty
NBS94	NPC94	NPB94	NBN94	1 gang blank-plate	5
NBS95	NPC95	NPB95	NBN95	2 gang blank-plate	5



SPARE ACCESSORIES

Catalogue Number	Description	Carton Qty
NFS19/10	M3.5 x 19mm screws, pack of 10 (For Chrome + Steel)	100pks
NFS28/10	M3.5 x 28mm screws, pack of 10 (For Chrome + Steel)	100pks
NFS38/10	M3.5 x 38mm screws, pack of 10 (For Chrome + Steel)	100pks
NFS19/10BN	M3.5 x 19mm screws, pack of 10 (For Black Nickel)	100pks
NFS28/10BN	M3.5 x 28mm screws, pack of 10 (For Black Nickel)	100pks
NFS38/10BN	M3.5 x 38mm screws, pack of 10 (For Black Nickel)	100pks
NFS19/10BR	M3.5 x 19mm screws, pack of 10 (For Brass)	100pks
NFS28/10BR	M3.5 x 28mm screws, pack of 10 (For Brass)	100pks
NFS38/10BR	M3.5 x 38mm screws, pack of 10 (For Brass)	100pks

COMPLEMENTARY RANGES



GRID RANGE

A comprehensive range of Switches, Indicators, Secret Keys and Dimmer modules that provide a seamless blend to the Nexus Metal products.



EURO-MODULE RANGE

A flexible solution of Co-ax, Screened Co-ax/Satellite, Telephone, and Data "Euro-Modules".