

**Candle Filament Flame Tip Omni Lamp E14 2W (23W) 2700K 230lm Non-Dimmable 300 deg Beam Angle**

*Partcode: ILCANDE14N046 / Page: 1*



Integral Filament Omni Lamps utilise Filament LED technology and a full-glass body to create a decorative look and wide beam angle that looks fantastic in chandeliers and fittings where the lamp is exposed. The flame-like shape and warm light creates a pleasing candle-like effect.

These retrofit lamps are highly efficient and are an ideal replacement for traditional tungsten filament bulbs.

**Product Details**

Partcode: ILCANDE14N046

Check Code: 458562

Range Name: Omni

Market Segment: Commercial indoor, Residential indoor

Product Type: Candle

Warranty: 2 Years

CE / RoHS: Yes

**Physical Data**

Lamp Base: E14

Base Type: Small Edison screw

Globe Type: Candle

Globe Finish: Clear

Material: Aluminium, Glass

Construction: Glass shell, filament strip, Aluminium Base

*Partcode: ILCANDE14N046 / Page: 2*

### **Physical Data**

Length: 121mm  
Width: 35mm  
Diameter: 35mm  
Weight (Unpackaged Single Unit): 19g  
Lamp or Luminaire Shape: Oval  
Lamp Fixing: Pendant, Wall


### **Electrical Data**

Voltage Range: 220-240V  
Power Consumption: 2.0 Watts  
Driver included: Yes  
Electric Current: AC  
Ampage: 11.00mA  
Frequency Range: 50 Hz  
Power Factor:  $\geq 0.70$   
Wattage Equivalent: 25 Watts  
Dimming: Non-dimmable  
LVD Certified: Yes  
EN: EN-62560

### **Light Data**

Lumens: 230lm  
Lumens per Watt: 115.0lm/W  
Beam Angle: 300°  
Correlated Colour Temperature (CCT): 2,700k  
Colour Temperature: Warm  
Colour Rendering Index (CRI):  $\geq 80$   
LED Type: Filament chip  
Instant on - Less than 1 second: Yes  
Lifetime: 15,000 hrs  
Switching Cycles:  $>7,500$  X

### Environmental



Energy Rating: A++

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

### Packaging

EAN Barcode (unit of 1): 5055788223214

Packaged Weight (Unit of 1): 65g

Length (unit of 1): 42mm

Width (unit of 1): 42mm

Depth (unit of 1): 126mm

**Outer packaging info available on website**

*Product data last updated on: Monday, August 7, 2017 - 14:37*