

Product Specification Sheet

Candle Full Glass Omni-Lamp 2.8W (25W) 2700K 250lm E14 Non-Dimmable 300 deg Beam Angle

Partcode: ILCANDE14NC001 / Page: 1



This cutting edge A++, 2.8W retro-fit Integral LED Candle (small screw base) from the Omni-Lamp range delivers a warm white light and brightness, similar to a 25W filament bulb. It has the appearance, feel and weight of a traditional light bulb. Featuring an LED filament, which enables a super-wide 300 degree beam angle. A decorative lamp ideal for living rooms, dining rooms, bedrooms and hotels, in classic or modern wall or floor/table lamp fittings and chandeliers.

Product Details

Partcode: ILCANDE14NC001

Check Code: 947141
Range Name: Omni
Product Type: Candle
Warranty: 2 Years
CE / RoHS: Yes

Physical Data

Lamp Base: E14

Base Type: Small Edison screw

Globe Type: Candle Globe Finish: Clear Material: Glass



Product Specification Sheet

Partcode: ILCANDE14NC001 / Page: 2

Physical Data

Length: 97mm Width: 35mm

Weight (Unpackaged Single Unit): 13g

Lamp or Luminaire Shape: Oval

Lamp Fixing: Pendant, Chandelier, Wall

Electrical Data

Voltage Range: 220-240V

Power Consumption: 2.8 Watts

Driver included: Yes Electric Current: AC Ampage: 19.00mA

Frequency Range: 50 Hz
Power Factor: >=0.45

Wattage Equivalent: 25 Watts

Dimming: Non-dimmable

LVD Certified: Yes EN: EN-62560

Light Data

Lumens: 250lm

Lumens per Watt: 89.0lm/W

Beam Angle: 300°

Correlated Colour Temperature (CCT): 2,700k

Colour Temperature: Warm

Colour Rendering Index (CRI): >=80

LED Type: Filament chip

Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs


Switching Cycles: >7,500 X



Product Specification Sheet

Partcode: ILCANDE14NC001 / Page: 3

Environmental



Energy Rating: A++

Lowest Operating Temperature: -20 degrees Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788210863

Packaged Weight (Unit of 1): 28g

Length (unit of 1): 120mm Width (unit of 1): 40mm Depth (unit of 1): 40mm

Outer packaging info available on website

Product data last updated on: Monday, August 20, 2018 - 15:57