

1W Non-maintained 3 hour Emergency Downlight for open area applications

Partcode: ILEMDL005 / Page: 1



Non-maintained LED emergency downlight. Stand-by power consumption 1W. In the case of a power-cut, the 3W LED light will operate for 3 hours. Suitable for open areas.

Product Details

Partcode: ILEMDL005

Check Code: 803046

Placement / Application: Indoor, Emergency Lighting

Market Segment: Commercial indoor

Product Type: Emergency

Warranty: 3 Years

CE / RoHS: Yes

Physical Data

Product Finish: Matt white

Material: Aluminium body, PMMA optics

Construction: Folded Aluminium

Physical Data

Depth: 11mm

Diameter: 38mm

Weight (Unpackaged Single Unit): 200g

Lamp or Luminaire Shape: Round

Luminaire Fixing: Recessed

Electrical Data

Voltage Range: 220-240V

Power Consumption: 1.0 Watts

Driver included: Yes

Electric Current: AC

Ampage: 500.00mA

Frequency Range: 50 Hz

Dimming: Non-dimmable

LVD Certified: Yes

EN: EN-60598

Light Data

Lumens in Emergency Mode: 100lm

Beam Angle: 110°


Correlated Colour Temperature (CCT): 4,000k

Colour Temperature: Cool White

Colour Rendering Index (CRI): ≥ 80

Instant on - Less than 1 second: Yes

Environmental



Lowest Operating Temperature: 0 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788221487

Packaged Weight (Unit of 1): 210g

Length (unit of 1): 235mm

Width (unit of 1): 70mm

Depth (unit of 1): 26mm

Outer packaging info available on website

Product data last updated on: Monday, August 7, 2017 - 14:34