

Product Specification Sheet

Classic Globe (GLS) 14.5W (120W) 5000K 2000lm B22 Non-Dimmable Frosted Lamp

Partcode: ILGLSB22NF098 / Page: 1



For that room in your house that only has the one ceiling fitting but needs plenty of light, you will not be disappointed with this very bright 14.5W (120W equivalent), 2,000lm GLS lamp from Integral LED. This frosted bulb will fill a room with 5000K (Daylight) CCT light and at 138lm/W, offers big energy savings over equivalent incandescent bulbs.

Product Details

Partcode: ILGLSB22NF098

Check Code: 087246 Range Name: Everyday

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: GLS Warranty: 2 Years CE / RoHS: Yes

Physical Data

Lamp Base: B22

Base Type: Bayonet cap
Base Colour: Matt white

Globe Type: Classic Globe (GLS)

Globe Finish: Frosted

Material: Aluminium, Polycarbonate, Nickel plated brass

Construction: Plastic and Aluminium heat sink, polycarbonate diffuser, Nickel plated brass base



Product Specification Sheet

Partcode: ILGLSB22NF098 / Page: 2

Physical Data

Length: 142mm Width: 67mm

Weight (Unpackaged Single Unit): 167g

Lamp or Luminaire Shape: Round

Lamp Fixing: Pendant, Wall

Electrical Data

Voltage Range: 220-240V

Power Consumption: 14.5 Watts

Driver included: Yes

Driver IC Manufacturer: Silergy

Electric Current: AC Ampage: 165.00mA

Frequency Range: 50 Hz Power Factor: >=0.50

Wattage Equivalent: 120 Watts

Dimming: Non-dimmable

LVD Certified: Yes EN: EN-62560

Light Data

Lumens: 2,000lm

Lumens per Watt: 138.0lm/W

Beam Angle: 200°

Correlated Colour Temperature (CCT): 5000k

Colour Temperature: Daylight

Colour Rendering Index (CRI): >=80

LED Type: Surface mounted device (SMD)

Instant on - Less than 1 second: Yes

Lifetime: 15,000 hrs

Switching Cycles: >7,500 X



Product Specification Sheet

Partcode: ILGLSB22NF098 / Page: 3

Environmental

Energy Rating: A+

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 40 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging

EAN Barcode (unit of 1): 5055788252382

Packaged Weight (Unit of 1): 225g

Length (unit of 1): 155mm Width (unit of 1): 75mm Depth (unit of 1): 75mm

Outer packaging info available on website

Product data last updated on: Monday, July 20, 2020 - 09:24