

Classic Globe (GLS) Frosted E27 5.2W (41W) 5000K 500lm Non-Dimmable 300 deg Beam Angle

Partcode: ILGLSE27NF064 / Page: 1



Introducing attractive frosted full-glass classic lamps that mirror the look of traditional pearl light bulbs. These lamps look practically indistinguishable from the familiar filament bulbs that have been used for decades.

A wide beam angle will fill your space with Daylight (5000K) colour temperature light.

Product Details

Partcode: ILGLSE27NF064

Check Code: 335899

Range Name: Classic

Placement / Application: Indoor, General Lighting

Market Segment: Commercial indoor, Residential indoor

Product Type: GLS

Warranty: 2 Years

CE / RoHS: Yes

Physical Data

Lamp Base: E27

Base Type: Edison screw

Globe Type: Classic Globe (GLS)

Globe Finish: Frosted

Material: Aluminium, Glass

Construction: glass shell, filament strip, Aluminium Base

Physical Data

Length: 108mm
Width: 60mm
Diameter: 60mm
Weight (Unpackaged Single Unit): 42g
Lamp or Luminaire Shape: Round
Lamp Fixing: Pendant, Wall


Electrical Data

Voltage Range: 220-240V
Power Consumption: 5.2 Watts
Driver included: Yes
Electric Current: AC
Ampage: 42.00mA
Frequency Range: 50/60 Hz
Power Factor: ≥ 0.50
Wattage Equivalent: 43 Watts
Dimming: Non-dimmable
Compatible Dimmer(s): Varlight
LVD Certified: Yes
EN: EN-62560

Light Data

Lumens: 500lm
Lumens per Watt: 96.0lm/W
Beam Angle: 300°
Correlated Colour Temperature (CCT): 5,000k
Colour Temperature: Daylight
Colour Rendering Index (CRI): ≥ 80
LED Type: Surface mounted device (SMD)
Instant on - Less than 1 second: Yes
Lifetime: 15,000 hrs
Switching Cycles: $>7,500$ X

Environmental



Energy Rating: A+

Lowest Operating Temperature: -20 degrees

Maximum Operating Temperature: 45 degrees

IP (Ingress Protection) Rating: IP20

Hg 0% (Mercury Free): Yes

Packaging



EAN Barcode (unit of 1): 5055788232155

Packaged Weight (Unit of 1): 62g

Length (unit of 1): 65mm

Width (unit of 1): 65mm

Depth (unit of 1): 120mm

Outer packaging info available on website

Product data last updated on: Tuesday, January 8, 2019 - 16:27