

**CLASSIC FILAMENT GOLF BALL BULB E14 250LM 1.8W 2700K NON-DIMM  
280 BEAM FROSTED INTEGRAL**

ILGOLFE14NC048



Introducing attractive frosted full-glass classic lamps that mirror the look of traditional pearl light bulbs. These lamps look practically indistinguishable from the familiar filament bulbs that have been used for decades. A wide beam angle will fill your space with Warm (2700K) colour temperature light.

**Details**

<b>Quick Order Code:</b>	532147
<b>Barcode:</b>	5055788256069
<b>Category:</b>	Lamps
<b>Range Name:</b>	Classic
<b>Market Segment:</b>	Commercial indoor, Residential indoor
<b>Warranty (Years):</b>	2
<b>CE RoHS:</b>	Yes

**Physical Data**

<b>Product Length (mm):</b>	80
<b>Product Width (mm):</b>	45
<b>Product Weight (g):</b>	14
<b>Material:</b>	Aluminium, Glass
<b>Base Term:</b>	Small Edison screw
<b>Bulb Base:</b>	E14
<b>Construction:</b>	Glass shell, Filament strip, Aluminium base
<b>Globe Finish:</b>	Frosted
<b>Globe Type:</b>	Golf Ball
<b>Bulb or Luminaire Shape:</b>	Round
<b>Placement / Application:</b>	Indoor, General Lighting
<b>Spot Type:</b>	Filament

**Electrical Data**

<b>Power Consumption (w):</b>	1.8
<b>Power Factor:</b>	0.4
<b>Wattage equivalent (W):</b>	25
<b>Amperage (mA):</b>	20
<b>Dimming:</b>	Non-Dimmable



<b>Driver Included:</b>	Yes
<b>Electric Current:</b>	AC
<b>True Wattage Eq (W):</b>	25
<b>EN:</b>	EN-62560
<b>LVD Certified:</b>	Yes

## Light Data

<b>Luminous Flux in Lumens (lm):</b>	250
<b>Luminous efficacy (lm/W):</b>	139
<b>Correlated Colour Temperature (CCT) (K):</b>	2700
<b>Colour Temperature:</b>	2700K - Warm
<b>Colour Temperature Name:</b>	Warm
<b>Beam Angle:</b>	320
<b>Colour Rendering Index (CRI):</b>	80
<b>Colour Type:</b>	Single
<b>Frequency Range (Hz):</b>	50/60
<b>Instant on (Less than 1 second):</b>	Yes
<b>LED Type:</b>	Filament chip
<b>Lifetime (hours):</b>	15000
<b>Switching Cycles:</b>	7500

## Environment

<b>EN:</b>	EN-62560
<b>LVD Certified:</b>	Yes
<b>CE RoHS:</b>	Yes
<b>Previous Energy Rating:</b>	A++
<b>New Energy Rating:</b>	D
<b>Hg 0% (Mercury Free):</b>	Yes
<b>IP Rating (Ingress Protection):</b>	IP20
<b>Lowest Operating Temperature (°C):</b>	-20
<b>Maximum Operating Temperature (°C):</b>	40



## Packaging

**Package Weight (g):**

38

[Portal.integral-led.com](https://portal.integral-led.com)

Product Design And Specification Subject To Change Or Modification Without Notice. Image For Illustration Only. E&OE

<b>Package Length (mm):</b>	90
<b>Package Width (mm):</b>	50
<b>Package Depth (mm):</b>	50